




MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

ANTRPSMA-1S1F-M19C7-LF

SERIES

ST

MALE

FOLDABLE

LEADFREE

197.5mm

DESCRIPTION:

Model	ANTRPSMA-1S1F2B2G-M _{xx} C-LF
Frequency Range	2.4G ~ 2.5GHz
VSWR	< 2.0
Impedance	50 Ω
Gain	5dbi
Polarization	Vertical
Power Handling	1 Watt
Connector	RP SMA Male
Operation Temp	-30°C ~ +75°C
Material	Radome : PU
Dimension (L*W*H)	φ9.2*197 mm
Weight	22g
Color	Black

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION 

照片框

ORDER INFORMATION

ANTRPSMA-1S1F-M19C7-LF

SERIES

ST

MALE


FOLDABLE

LEADFREE


197.5mm

DESCRIPTION:

Return Loss



VSWR



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

ANTRPSMA-1S1F-M19C7-LF

SERIES

ST

MALE
FOLDABLE

LEADFREE
197.5mm

DESCRIPTION: