

MATERIAL :

INSULATOR..... L.C.P.+30% GLASS REINFORCED , UL94 V-0

CONTACT..... PHOSPHOR BRONZE , C5191R-H , 0.12t

UPPER SHIELED.. PHOSPHOR BRONZE , C5191R-H

LOWER SHIELED.. PHOSPHOR BRONZE , C5191R-H



PART. NUMBER:

INSULATOR..... H09303-XX020

CONTACT..... C09306-000XX

UPPER SHIELED.. S09305-000XX

LOWER SHIELED.. S09305-000XX




SEC.A-A
SCALE 8:1

DF19-HFM-20-LF
LEADFREE
RoHS Compliant


MORETHANALL
CONNECTORS
ASSEMBLIES

焯倫股份有限公司

PART NO. DF19-HFM-20		CHECKED BY CY		TOLERANCES ARE .X ± .XX ± .XXX ± AWG	DESCRIP TION: SINGLE ROW SOCKET FOR COAXI CABLE 20-POS.,ASSEMBLY
DWG NO. DF19-HFM-20		DRAWING BY			
FILE NO.		PROJECTION		AREA	REVISIONS
UNIT / mm	SCALE 1:1			HK	DATE



- NOTES:
1. UNLESS OTHERWISE SPECIFIED, ALL TOLERANCES FOLLOW DRAWING COMMON STANDARD.
 2. UNLESS OTHERWISE SPECIFIED, ALL RADIUSSES ARE 0.1 MM.
 3. MATERIAL : PHOSPHOR BRONZE, JIS C5191R-H THICKNESS=0.15mm










SCALE 1.5:1

MORE THAN ALL
CONNECTORS
ASSEMBLIES

焜倫股份有限公司

PART NO. DF19-HFM-20		CHECKED BY CY	TOLERANCES ARE .X ± .XX ± .XXX ± AWG	DESCRIPTION: SINGLE ROW SOCKET FOR COAXIA CABLE 20-POS., UPPER SHELL	AREA	REVISIONS	HK	DATE
DWG NO. DF19-HFM-20								
FILE NO.		PROJECTION						
UNIT / mm	SCALE 1:1							



SCALE 1.5:1

- NOTES:
1. UNLESS OTHERWISE SPECIFIED, ALL TOLERANCES FOLLOW DRAWING COMMON STANDARD.
 2. UNLESS OTHERWISE SPECIFIED, ALL RADIUSES ARE 0.1 MM.
 3. MATERIAL : PHOSPHOR BRONZE, JIS C5191R-H THICKNESS=0.15mm

MORETHANALL
CONNECTORS
ASSEMBLIES

煜倫股份有限公司

PART NO. DF19-HFM-20		CHECKED BY CY	TOLERANCES ARE .X ± .XX ± .XXX ± AWG	DESCRIPTION: SINGLE ROW SOCKET FOR COAXIAL CABLE 20-POS., LOWER SHELL		
DWG NO. DF19-HFM-20						
FILE NO.		DRAWING BY	AREA	REVISIONS	HK	DATE
UNIT / mm	SCALE 1:1	PROJECTION				