

RECOMMENDED P.C.B.LAYOUT(THK=1.20MM)
TOP VIEW(TOLERANCES : ±0.05mm)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X ±

CHECKED BY GENIUS

.X ± 0.38

UNIT / mm

SCALE 1 : 1

.XX ± 0.25

DATE

.XXX ± 0.13

ANG ±

SIZE A4

PJECTION

照片框

ORDER INFORMATION

DISP-SRMMC-20-LF

SERIES

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

|

LEADFREE
20 WAY
MYLAR
METAL FOOT
DIP 90°
FEMALE


煜倫股份有限公司

www.morethanall.com

DESCRIPTION: Displayport / HDMI ,2 IN 1 R/A, STD, DIP, TYPE.

NOTE: 1.MATERIAL:
 (A):HOUSING: THERMOPLASTIC, HIGH TEMP.
 (POLYPLASTICS E130i),UL94V-0;
 (C):CONTACTS: ALLOY COPPER ,
 (B):SHELL:STEEL.
 (D):LATCH:STEEL .
 (E):DETAIL PIN:STEEL.
 2.FINISH:
 CONTACT:
 GOLD PLATING ON CONTACT AREA.
 2.54um(100 MIRCO) MIN. TIN PLATING ON SOLDER TAILS.
 1.27um(50 MIRCO) MIN. NICKEL UNDER PLATING OVER ALL.
 SHELL:
 1.27um(50 MIRCO) MIN. NICKEL OVERALL.
 DETAIL PIN:
 1.27um(50 MIRCO) MIN. NICKEL OVERALL.

HDMI		DISPLAYPORT	
PIN	SIGNAL NAME	PIN	SIGNAL NAME
1	TMDS Data2+	1	ML_LANE 0(p)
2	TMDS Data2 Shield	2	GND
3	TMDS Data2-	3	ML_LANE 0(n)
4	TMDS Data1+	4	ML_LANE 1(p)
5	TMDS Data1 Shield	5	GND
6	TMDS Data1-	6	ML_LANE 1(n)
7	TMDS Data0+	7	ML_LANE 2(p)
8	TMDS Data0 Shield	8	GND
9	TMDS Data0-	9	ML_LANE 2(n)
10	TMDS Clock+	10	ML_LANE 3(p)
11	TMDS Clock Shield	11	GND
12	TMDS Clock-	12	ML_LANE 3(n)
13	CEC	13	GND
14	reserved (In cable but N.C. on device)	14	GND
15	SCL	15	AUX CH (p)
16	SDA	16	GND
17	DDC/CEC GROUND	17	AUX CH (n)
18	+5V Power	18	Hot Plug Detect
19	Hot Plug Detect	19	Return
		20	DP_PWR
21		21	



RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

DRAWING BY CY

X, ±
 .X ± 0.38
 .XX ± 0.25
 .XXX ± 0.13
 ANG ±

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

PJECTION

煜倫股份有限公司

www.morethanall.com

天

ORDER INFORMATION

DISP-SRMC-20-LF
 SERIES | | | | LEADFREE
 | | | | 20 WAY
 | | | | MYALR
 | | | | METAL
 | | | | DIP 90°
 | | | | FEMALE

DESCRIPTION: Displayport / HDMI ,2 IN 1 R/A, STD, DIP, TYPE.