






A = 1.00 * No. of Spaces

B = A + 7.7

C = A + 2.1

△ * Available 8,10,18,24,30 circuits

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.20
.XX ± 0.10
.XXX ± 0.05
ANG ±




PPOJECTION

照片框

ORDER INFORMATION

FPA-WRD27R-xx-LF
SERIES | | | | LEADFREE
| | | | 08~30 WAY
| | | | REEL
| | | | HIGH 2.7mm
90°SMT | | | DUAL CONTACTS
| | | ROTARY ZIF

DESCRIPTION: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR



Accommodated FFC/FPC

Material :

- * Body : High temperature plastic UL 94V-0
Color Nature
- * Cover : High temperature plastic UL 94V-0
Color Black
- * Contact : Phosphor Bronze
- * Fixed tab : Brass with Tin Plated

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.20
.XX ± 0.10
.XXX ± 0.05
ANG ±

PPOJECTION

照片框


ORDER INFORMATION

FPA-WRD27R-xx-LF
SERIES | | | | LEADFREE
| | | | 08~30 WAY
| | | | REEL
| | | | HIGH 2.7mm
| | | | DUAL CONTACTS
| | | | ROTARY ZIF



DESCRIPTION: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR

NOTE :

- * Reel Material : Corrugated Paper
- * Carrier Material : Clear, Conductive Polystyrene Alloy
- * Cover Tape Material : Polyester
- * Cover Tape Peel Strength : 0.1N – 1.3N
- * Carrier camber is within 1mm in 100mm
- * All dimensions meet EIA-481-2 & EIA-481-3 requirements.



Circuits	Dimension					Packing (Reel/Carton)
	E	F	W1	W2	W3	
30	56.0(2.204)	52.50(2.067)	56.5(2.224)	62.5(2.460)	56.5(2.224)	4



WIDTH : 56 mm Carrier

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, $\pm$
.X $\pm$ 0.20
.XX $\pm$ 0.10
.XXX $\pm$ 0.05
ANG $\pm$

照片框

ORDER INFORMATION

FPA-WRD27R-xx-LF
SERIES
LEADFREE
08~30 WAY
REEL
HIGH 2.7mm
DUAL CONTACTS
ROTARY ZIF

DESCRIPTION: 1.00mm(.039") ZIF FFC/FPC ONE-TOUCH CONNECTOR