










MORETHANALI
 CONNECTORS
 ASSEMBLIES

煜倫股份有限公司

CHECKED BY	CY
DRAWING BY	
PROJECTION	

DESCRIPTION:				
AREA	REVISIONS		DATE	



MORETHANALL
CONNECTORS
ASSEMBLIES

PART NO. LGA-VLC71-1356

DWG NO. LGA-VLC77-1356

FILE NO.

UNIT / mm

SCALE 1:1

CHECKED BY CY

DRAWING BY

PROJECTION

TOLERANCES ARE

X.±
.X±
.XX±
.XXX±
ANG




DESCRIPTION:

AREA


REVISIONS


DATE

煜倫股份有限公司



- NOTES:
- MATERIAL:
 - HOUSING: THERMOPLTIC, UL94V-0, BLACK;
 - CONTACT: HIGH STRENGTH COPPER ALLOY ;
 - SOLDER BALL: SAC LEADFREE;
 - CAP: THERMOPLASTIC, UL94V-0, BLACK;
 - FINISH:
 - CONTACT: Au PLATING AT CONTACT AREA
OVER NICKEL UNDERPLATING.
 - HSF COMPLIANT(RoHS, HF)

 MORETHANALL CONNECTORS ASSEMBLIES 煜倫股份有限公司	PART NO. LGA-VLC71-1356		CHECKED BY CY		TOLERANCES ARE X. ± .X ± .XX ± .XXX ± ANG	DESCRIPTION:					
	DWG NO. LGA-VLC71-1356										
	FILE NO.		DRAWING BY			AREA	REVISIONS				
	UNIT / mm	SCALE 1:1	PROJECTION 								



RECOMMENDED PCB PAD LAYOUT
BOARD PRIMARY SIDE

LEGEND	
	SOCKET/THERMO/MECHANICAL COMPONENT KEEP-INS
	10.10 MM MAX COMPONENT HEIGHT
	2.5 MM MAX COMPONENT HEIGHT
	1.2 MM MAX COMPONENT HEIGHT
	1.8 MM MAX COMPONENT HEIGHT
	BOARD ROUTING KEEP-OUT
	27 MM MAX COMPONENT HEIGHT

MORETHANALL
CONNECTORS
ASSEMBLIES

PART NO. LGA-VLC71-1356

DWG NO. LGA-VLC71-1356

CHECKED BY CY

TOLERANCES ARE

X. ±
.X ±
.XX ±
.XXX ±
ANG

FILE NO.

DRAWING BY


DESCRIPTION:

煜倫股份有限公司

UNIT / mm

SCALE 1:1



PROJECTION






AREA


REVISIONS

DATE



8	FRAME	NUT & COLLAR	CARBON STEEL C1215, Ni 40u" MIN. PLATING
7		LOAD LEVER	STAINLESS STEEL SUS304
6		FRAME	CARBON STEEL SK7, Ni 40u" MIN. PLATING
5		LOAD PLATE	STAINLESS STEEL SUS301
4	DT BP	DUST COVER	PC+ABS BLACK
3		SCREW	C1215, ZINC 40u" MIN. PLATING
2		INSULATOR	PC1860B, BLACK
1		BACKPLATE	S50C, ZINC 40u" MIN. PLATING
NO.	PRODUCT		DESCRIPTION



		PART NO. LGA-VLC71-1356		TOLERANCES ARE X, ± 0.35 .X ± 0.25 .XX ± 0.15 .XXX ± ANG		DESCRIPTION: SOCKET 13XX ILM (FRAME+DTBP)			
		DWG NO. LGA-VLC71-1356						CHECKED BY CY	
煜倫股份有限公司		FILE NO.				DRAWING BY		AREA REVISIONS DATE	
		UNIT / mm	SCALE 1:1			PROJECTION 			