





#### NOTES:

1. MATERIAL:  
HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0  
TERMINAL: COPPER ALLOY  
SOLDER PEG: COPPER ALLOY
2. FINISH:  
TERMINAL:  
CONTACT AREA: SEE CHARTS  
SOLDERING AREA: SEE CHARTS  
UNDER PL: NICKEL PL. 50  $\mu$ " THK MIN.
3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS  
PER DIRECTIVE 2002/95/EC FOR RoHS COMPLIANT.

**RoHS Compliant**

TOLERANCES ARE

**MORETHANALL**  
PCB CONNECTORS  
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X,  $\pm$


.X,  $\pm$

.XX,  $\pm$

.XXX,  $\pm$

ANG,  $\pm$

PPOJECTION





#### ORDER INFORMATION

NGFF-W42-1156-LF

SERIES | LEADFREE  
11+56 WAY  
HIGH 4.2mm  
90° SMT

DESCRIPTION:



KEY ID "B"  
RECOMMENDED P.C.BOARD LAYOUT

RoHS Compliant

TOLERANCES ARE

**MORETHANALL**  
PCB CONNECTORS  
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm


SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±  
.X ±  
.XX ±  
.XXX ±  
ANG ±





ORDER INFORMATION


NGFF-W42-1156-LF

SERIES | LEADFREE  
11+56 WAY  
HIGH 4.2mm  
90° SMT

DESCRIPTION:



KEY ID "B"  
RECOMMENDED MODULE LAYOUT



RoHS Compliant

TOLERANCES ARE

**MORETHANALL**  
PCB CONNECTORS  
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X, ±


.X, ±

.XX, ±

.XXX, ±

ANG ±

PPOJECTION



ORDER INFORMATION

NGFF-W42-1156-LF

SERIES LEADFREE

11+56 WAY

HIGH 4.2mm

90° SMT

DESCRIPTION: