





NOTES:

1. MATERIAL:

HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0
 TERMINAL: COPPER ALLOY
 SOLDER PEG: COPPER ALLOY

2. FINISH:

TERMINAL:
 CONTACT AREA: SEE CHARTS
 SOLDERING AREA: SEE CHARTS
 UNDER PL.: NICKEL PL. 50 μ" THK MIN.

3. THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS
 PER DIRECTIVE 2002/95/EC FOR RoHS COMPLIANT.

RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

PPOJECTION

X. ±
 .X ±
 .XX ±
 .XXX ±
 ANG ±



照片框

ORDER INFORMATION

NGFF-W42R-0760-LF

SERIES | | LEADFREE
 | | 07+60 WAY
 | | REEL
 | | HIGH 4.2mm
 | | 90°SMT

DESCRIPTION:



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

NGFF-W42R-0760-LF

SERIES LEADFREE




07+60 WAY

REEL

HIGH 4.2mm

90°SMT

DESCRIPTION:



GENERAL TOLERANCE ± 0.15

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

NGFF-W42R-0760-LF

SERIES

REEL


07+60 WAY

HIGH 4.2mm

90°SMT

LEADFREE

DESCRIPTION:



1. THE DIRECTION OF EACH CONNECTOR ON A EMOSS IS REFERED TO THIS DRAWING.
2. GENERAL TOLERANCE : ± 0.5 , $\pm 3^\circ$
3. PACKAGED IN EMOSS TAPE AND PLASTIC REEL 1000 PCS PRE REEL.

照片框

SERIES REEL HIGH 4.2mm 90°SMT 07+60 WAY LEADFREE

DESCRIPTION: