

SECTION: B-B



SECTION: A-A

Material :

Cover : Stainless Steel 301 PF30
Thinkness 0.2±0.03 mm
Label Thickness 0.08mm Max.
Adhesive Tape Thickness 0.065±0.05mm

Insulating Tape

Stainless Steel 301 PF30

Adhesive Tape

Protection Tape

RoHS Compliant

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

DRAWING BY	CY
CHECKED BY	GENIUS
UNIT / mm	SCALE 1 : 1
DATE	
SIZE A4	PPOJECTION

TOLERANCES ARE
X. ±
.X ±
.XX ±
.XXX ±
ANG ±

照片框

ORDER INFORMATION

PCC-CF-09-LF
SERIES | FLAME | COVER | 09WAY | LEADFREE

DESCRIPTION: Upper Cover



Material :
Cover : Stainless Steel 301 PF30
Thinkness 0.2±0.03 mm
Frame :L.C.P
(UL94V-0) Black Color
Label Thickness 0.08mm Max.
Adhesive Tape Thickness 0.065±0.05mm
InsulatingTape Thickness 0.085±0.05mm



SECTION: A-A



RoHS Compliant

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

DRAWING BY CY	TOLERANCES ARE
CHECKED BY GENIUS	X. ±
UNIT / mm	SCALE 1 : 1	.X ±
DATE	.XX ±
SIZE A4	PPOJECTION	.XXX ±
	ANG ±

照片框

ORDER INFORMATION

PCC-CF-09-LF
SERIES
FLAME
COVER
09WAY
LEADFREE

DESCRIPTION:









Note:
Material:
Top Case Liquid Crystal Polyester
(UL94V-0) Black Color

RoHS Compliant

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

DRAWING BY CY	
CHECKED BY GENIUS	
UNIT / mm	SCALE 1 : 1
DATE	
SIZE A4	PPOJECTION

TOLERANCES ARE
X. ±
.X ±
.XX ±
.XXX ±
ANG ±

照片框

ORDER INFORMATION

PCC-CF-09-LF
SERIES
FLAME
COVER
09WAY
LEADFREE

DESCRIPTION: