








A-A (1.3 : 1)



PCB LAYOUT : COMPONENT SIDE



C (4 : 1)



B (3 : 1)

NOTE:

1. SOLDER TAIL TO BE WITHIN 0.05 UPWARD AND 0.2 DOWNWARD FROM Z-DATUM PLACE, AND COPLANALITY OF SOLDER TAILS TO BE WITHIN 0.10. MEASUREMENT POINT IS SOLDER TAIL TIP.
2. INSPECTION SYMBOL:
● : MANUFACTURER INSPECTION
◆ : Q.C INSPECTION
3. PLEASE REFER TO TABLE 1 FOR TERMINAL LENGTH.

PIN TYPE	DIM. L ± 0.20	PIN NUMBER
DETECT	3.50 mm	36, 67
GENERAL	4.25 mm	ALL OTHER PINS
POWER	5.00 mm	1, 17, 34, 35, 51, 68

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION


X. $\pm$
.X $\pm$
.XX $\pm$
.XXX $\pm$
ANG $\pm$

照片框

ORDER INFORMATION

PCC-PWL22V3CB-68-LF
SERIES | MALE | 90°SMT | 3.3V | STAND OFF 2.2mm | LONG RAIL | LEADFREE | 68WAY | CARD BUS

DESCRIPTION:



NOTE:

1. INSPECTION SYMBOL:

●:MANUFACTURER INSPECTION
◆:Q.C INSPECTION

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

P PROJECTION


照片框

ORDER INFORMATION

PCC-PWL22V3CB-68-LF
SERIES | | | | | LEADFREE
MALE | | | | | 68WAY
90°SMT | | | | | CARD BUS
3.3V
STAND OFF 2.2mm
LONG RAIL

DESCRIPTION:

	MATERIAL	P/N	REMARKS
1	TRAY	TRAY 017-002B	38 TRAY X 9 PCS
2	COVER	TRAY 017-002B	2X(1COVER+19TRAY)
3	CARTON	CTN-C100A	CARTON/38 TRAYS/342PCS
4	POLY BAG	P-0001	1 POLY BAG/CARTON
5	LABEL(for RoHS)	CTP-00002	1 LABEL/CARTON
6	LABEL(for RoHS)	CTB-00002	1 LABEL/TRAY
7	SCREW	000-FA2I060I	PACKAGE/2X342PCS/684PCS
8	TAPE		



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±

.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION

照片框


ORDER INFORMATION

PCC-PWL22V3CB-68-LF

SERIES
MALE
90°SMT
LEADFREE
68WAY
CARD BUS
3.3V
STAND OFF 2.2mm
LONG RAIL

DESCRIPTION:

	MATERIAL	P/N	REMARKS
1	TRAY	TRAY 017-001B	38 TRAY X 27 PCS
2	COVER	TRAY 017-001B	2X(1COVER+19TRAY)
3	CARTON	CTN-C100A	CARTON/38 TRAYS/1026PCS
4	POLY BAG	P-0001	1 POLY BAG/CARTON
5	LABEL(for RoHS)	CTP-00002	1 LABEL/CARTON
6	LABEL(for RoHS)	CTB-00002	1 LABEL/TRAY
7	SCREW	000-FA2I045B	PACKAGE/2X1026PCS/2052PCS
8	TAPE		



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X. ±
.X ±
.XX ±
.XXX ±
ANG ±

照片框

ORDER INFORMATION

PCC-PWL22V3CB-68-LF
SERIES | | | | | LEADFREE
MALE | | | | | 68WAY
90°SMT | | | | | CARD BUS
3.3V
STAND OFF 2.2mm
LONG RAIL

DESCRIPTION: