








SECTION F-F



ø2.20±0.10

NOTES:

1. MATERIAL:
 - 1.1 HOUSING: THERMOPLASTIC, HIGH TEMP., UL94V-0; COLOR: SEE PART NO..
 - 1.2 CONTACTS: COPPER ALLOY.
 - 1.3 CLIP: COPPER ALLOY.
2. FINISH:
 - 2.1 CONTACT: SELECTIVE GOLD PLATING ON CONTACT AREA. 100μ" MIN. MATTE TIN PLATING ON SOLDER TAILS, 50μ" MIN. NICKEL UNDERPLATING OVERALL.
 - 2.2 CLIP: 100μ" MIN. MATTE-TIN OVER 50μ" MIN NICKEL PLATING.
3. PRODUCT SPEC.: PS-3GIO-01
4. PACKING SPEC.: 318304001



DIM E	PCB THICKNESS	DIM F
2.30	1.56	1.7
3.10	2.36	2.5

PCIX-DP1Bxx-xxx-LF
LEADFREE
036~164WAY
PCB THICKNESS 15:1.56
23:2.36

RoHS Compliant

DIMENSIONS			
POSITION	A ±0.10	B +0.15/-0.05	D ±0.23
36	6	7.65	25.00
64	20	21.65	39.00
98	37	38.65	56.00
164	70	71.65	89.00

MORETHANALL
CONNECTORS
ASSEMBLIES

PART NO. PCIX-DP1Bxx-xxx

DWG NO. PCIX-DP1Bxx-xxx

FILE NO.

UNIT / mm

SCALE 1:1

CHECKED BY CY

DRAWING BY

PROJECTION

TOLERANCES ARE
X. ± 0.40
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG


DESCRIPTION:

AREA



REVISIONS

DATE

煜倫股份有限公司



DIMENSIONS				
POSITION	A	C	F ±0.20	G
36	6	9.15	8.15	B PIN#17
64	20	23.15	22.15	B PIN#31
98	37	40.15	39.15	B PIN#48
164	70	73.15	72.15	B PIN#81



RECOMMENDED PCB LAYOUT
SINGLE POST TYPE
 TOLERANCE: ±0.05

MORETHANALL
 CONNECTORS
 ASSEMBLIES

PART NO. PCIX-DP1Bxx-xxx

DWG NO. PCIX-DP1Bxx-xxx

FILE NO.

UNIT / mm

SCALE 1:1

CHECKED BY CY

DRAWING BY

PROJECTION

TOLERANCES ARE
 X. ±
 .X ±
 .XX ±
 .XXX ±
 ANG

DESCRIPTION:




PCI EXPRESS 1.0mm
 CARD EDGE ASSY'

AREA

REVISIONS

DATE


煜倫股份有限公司



Form				
	36P	64P	98P	164P
TRAY	70 Pcs	60 Pcs	40 Pcs	30 Pcs
INNER BOX	700 Pcs	600 Pcs	400 Pcs	300 Pcs
CARTON	2100 Pcs	1800 Pcs	1200 Pcs	900 Pcs
NET WEIGHT	5.6 Kg	7.3 Kg	7.0 Kg	8.2 Kg
GROSS WEIGHT	7.6 Kg	9.3 Kg	9.0 Kg	10.2 Kg

NOTES:

1. TRAY COVER SIZE: 329.5mm(L)X 170mm(W)X 20mm(H).
2. TRAY SIZE: 328.5mm(L)X 169mm(W)X 20mm(H).
3. INNER BOX SIZE: 340mm(L)X 187mm(W)X 210mm(H).
4. CARTON SIZE: 576mm(L)X 350mm(W)X 232mm(H).



SHIPPING CARTON

MORETHANALL CONNECTORS ASSEMBLIES 煜倫股份有限公司	PART NO. PCIX-DP1Bxx-xxx		TOLERANCES ARE X. ± .X ± .XX ± .XXX ± ANG		DESCRIPTION: PCI EXPRESS 1.0mm CARD EDGE ASSY'			
	DWG NO. PCIX-DP1Bxx-xxx						CHECKED BY CY	
	FILE NO.				DRAWING BY	AREA	REVISIONS	
	UNIT / mm	SCALE 1:1	PROJECTION 					