

NOTE:

1. MATERIAL AND FINISH


1.1. SHELL ASSEMBLY: COPPER ALLOY, OUTER SHELL AND COLLET
NUT Cr PLATING, OTHER METALLIC COMPONENTS Ni PLATING

1.2. INSULATOR: PEEK

1.3. CONTACT: COPPER ALLOY, GOLD PLATING

2. RoHS COMPLIANCE

No. OF CONTACTS	ØA	L
02,03,04,05,06,07,	0.7	3.0
08,10,12,14,16,18,19,	0.7	3.0
26,32,	0.5	3.0



PANEL CUT-OUT

RoHS Compliant

TOLERANCES ARE



煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.50
.XX ± 0.30
.XXX ± 0.10
ANG ± 2°

照片框

ORDER INFORMATION

PM16-SHPANW-xy-LF

SERIES

FEMALE

HOUSING

0~Z KEY

02~32 WAY



NUT+WASHER

PANEL FRONT

LEADFREE

DESCRIPTION:

2B FIXED SOCKET CRIMP CONTACT TYPE VIEW



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.50
.XX ± 0.30
.XXX ± 0.10
ANG ± 2°

PPOJECTION

照片框

ORDER INFORMATION

PM16-SHPANW-xy-LF

SERIES

LEADFREE
0-Z KEY
02~32 WAY
NUT+WASHER
PANEL FRONT
HOUSING


FEMALE

HOUSING

DESCRIPTION:

view from termination side pin part


2 PDS.




3 PDS.




4 PDS.




5 PDS.




6 PDS.




7 PDS.




8 PDS.



10 PDS.



12 PDS.




14 PDS.




16 PDS.




18 PDS.




19 PDS.



26 PDS.



32 PDS.



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, $\pm$
.X $\pm$ 0.50
.XX $\pm$ 0.30
.XXX $\pm$ 0.10
ANG $\pm$ 2°

PPOJECTION 

照片框

ORDER INFORMATION

PM16-SHPANW-xy-LF

SERIES

FEMALE

LEADFREE

0~Z KEY

02~32 WAY


NUT+WASHER

PANEL FRONT

HOUSING

DESCRIPTION:

KEY ANGLES (RECEPTACLE FRONT VIEW):



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.50
.XX ± 0.30
.XXX ± 0.10
ANG ± 2°

PPOJECTION

照片框

ORDER INFORMATION

PM16-SHPANW-xy-LF

SERIES

FEMALE

NUT+WASHER

HOUSING

0~Z KEY


02~32 WAY

PANEL FRONT

LEADFREE

DESCRIPTION:

PCB Drilling Pattern



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.50
.XX ± 0.30
.XXX ± 0.10
ANG ± 2°

PPOJECTION

照片框

ORDER INFORMATION

PM16-SHPANW-xy-LF

SERIES

FEMALE

PANEL FRONT

HOUSING

LEADFREE
0~Z KEY
02~32 WAY
NUT+WASHER

DESCRIPTION: