


PIN OUT

RJ45 8P8C	RJ45 8P8C	
5	BLUE/WHITE	} PAIR
4	BLUE	
3	GREEN/WHITE	} PAIR
6	GREEN	
1	ORANGE/WHITE	} PAIR
2	ORANGE	
7	BROWN/WHITE	} PAIR
8	BROWN	
SHELL	DRAIN	SHELL



RoHS Compliant

TOLERANCES ARE

**MORETHANALL**  
PCB CONNECTORS  
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

X.±

.X±

.XX±

.XXX±

ANG±

PPOJECTION

照片框

ORDER INFORMATION

RJWPRJ-080824C5EDC-E1M-LF

SERIES

08 TO 08 WAY

24 AWG

CAT 5E

LEADFREE  
1000mm  
MALE TO FEMALE  
DUST COVER

DESCRIPTION: RJ45 8P8C PLUG TO JACK L=1M

\*\*\*CONSTRUCTION:

1.WIRE: \* CAT5e UL2835 STP(4P/24#)+MEA OD:5.8 BLACK JACKET.

\*\*\*CONNECTORS:

2.JACK \* RJ45 8P8C JACK PANEL SCREW TYPE.  
 \* PINS: COPPER ALLOY WITH GOLD PLATED.  
 \* INSULATOR: BLACK THERMOPLASTIC.  
 \* SHELL: STEEL WITH NICKETL PLATED.  
 \* HEX NUT: BLACK THERMOPLASTIC.  
 \* GASKET: BLACK SILICONE.  
 \* PCB: FR-4

3.PLUG: \* RJ45 8P8C PLUG CAT5e SHIELDED TYPE.  
 \* PINS: BRONZE WITH 50u GOLD PLATED.  
 \* INSULATOR: CLEAR PC UL RATED.  
 \* SHELL: PHOSPHOR BRONZE WITH NICKEL PLATED.  
 \* MOLDED: BLACK PVC 60P

4.TEST: \* CT: 2 Ohm. IS: 5M Ohm DC500V 0.1S.


5.GRADE: \* WATERPROOF: IP67.

6.PACKING: \* PACK EACH CABLE IN A POLY BAG.

7.MATERIAL: \* MATERIAL WITH RoHS GRADE.

RoHS Compliant

TOLERANCES ARE



DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

照片框

ORDER INFORMATION

RJWPRJ-080824C5EDC-E1M-LF

SERIES

LEADFREE

1000mm

MALE TO FEMALE

DUST COVER

08 TO 08 WAY


CAT 5E  
24 AWG

www.morethanall.com

SIZE A4


PJECTION

DESCRIPTION: RJ45 8P8C PLUG TO JACK L=1M



\*\*\*CONSTRUCTION:

- 1.RIVET: \* BLACK THERMOPLASTIC.
- 2.CAP: \* BLACK THERMOPLASTIC SCREW TYPE.
- 3.RUBBER CHAIN: \* BLACK TPE.
- 4.RUBBER PAD: \* BLACK SILICONE.



RECOMMEND  
PANEL CUT-OUT

RoHS Compliant

TOLERANCES ARE

**MORETHANALL**  
PCB CONNECTORS  
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X.±  
.X±  
.XX±  
.XXX±  
ANG±

PJECTION

照片框

ORDER INFORMATION

RJWPRJ-080824C5EDC-E1M-LF

SERIES

08 TO 08 WAY

24 AWG

CAT 5E

LEADFREE  
1000mm  
MALE TO FEMALE  
DUST COVER

DESCRIPTION: PLASTIC CAP FOR USB SCREW PANEL WITH RUBBER CHAIN.