





RECOMMENDED PCB LAYOUT

-  — Trace prohibition area
-  — Solder area
-  — Component outline

PIN NO	PIN ASSIGNMENT	PIN NO	PIN ASSIGNMENT
C1	VCC	C5	GND
C2	RST	C6	Not used for class A RFU for classes B and C
C3	CLK	C7	I/O

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±

.X, ±

.XX, ±

.XXX, ±

ANG, ±

PPOJECTION 

照片框


ORDER INFORMATION

SCP-W19EBR-06-LF
SERIES | | | | LEADFREE
| | | | 06 WAY
| | | | REEL
| | | | OPEN SWITCH
90°SMT | | | | EAR
| | | | PAD TO PAD 19.7mm


DESCRIPTION:

材料	名稱	型號(mm)	顏色	數量
1	外紙箱(k=k)	350*350*350	土黃	1個
2	內紙箱	335*335*52	土黃	6個
3	PE袋	480*500*0.1mm	透明	6個
4	Reel包裝帶	15000*44	黑色	700個
5	Cover Tape	22000*37.5	透明	—
6	包裝盤	Ø330*50	藍色	6個
包裝數量		700pcs/盤*6盤*1箱=4200pcs/箱 備註: 1盤裝一個內箱。		

包裝示意圖



包裝如圖:



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

TOLERANCES ARE

X, ±

.X, ±

.XX, ±

.XXX, ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

SCP-W19EBR-06-LF
SERIES | | | | LEADFREE
| | | | 06 WAY
| | | | REEL
| | | | OPEN SWITCH
90°SMT | | | | EAR
| | | | PAD TO PAD 19.7mm

DESCRIPTION: