




NOTES:

1. INSPECTION SYMBOL:


- : MANUFACTURER INSPECTION
- ◆ : Q.C INSPECTION

2.MATERIAL:


BASE:HIGH TEMPERATURE THERMALPLASTIC LCP ,BLACK COLOR
 TERMINAL:PHOSPHOR BRONZE
 EAR: HIGH TEMPERATURE THERMALPLASTIC PA9T ,WHITE COLOR.

3.FINISH:

TERMINAL:GOLD FLASH ON CONTACT AREA AND SOLDER TAIL.



PCB LAYOUT



B (4 : 1)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X. ± 0.30

.X ± 0.20

.XX ± 0.10

.XXX ± 0.05

ANG ±

PPOJECTION

照片框




ORDER INFORMATION

SDM6-V60V15-72A3-LF

SERIES 1.5V 204 WAY LEADFREE

HIGH 6.0mm
 180°SMT

DESCRIPTION: VERTICAL DDR CONNECTOR-1.5V



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.30

.X ± 0.20

.XX ± 0.10

.XXX ± 0.05

ANG $\pm$

PPOJECTION

照片框


ORDER INFORMATION

SDM6-V60V15-72A3-LF

SERIES 1.5V 204 WAY LEADFREE

HIGH 6.0mm
180°SMT

DESCRIPTION: VERTICAL DDR CONNECTOR-1.5V



	MATERIAL	P/N	REMARKS
1	TRAY	TRAY 115-001B	14 TRAY X 33PCS
2	COVER	TRAY 007-001A	2X(1COVER +7 TRAY)
3	CARTON	CTN-C100D	CARTON/14 TRAY/462PCS
4	POLY BAG	P-0001	1 POLY BAG/CARTON
5	LABEL(for RoHS)	CTP-00004	1 LABEL/CARTON
6	LABEL(for RoHS)	CTB-00002	1 LABEL/TRAY
7	TAPE		

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.30

.X ± 0.20

.XX ± 0.10

.XXX ± 0.05

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

SDM6-V60V15-72A3-LF

SERIES | 1.5V | 204 WAY | LEADFREE
HIGH 6.0mm
180°SMT

DESCRIPTION: VERTICAL DDR CONNECTOR-1.5V