







DETAIL C
MECHANICAL KEY TYPE


- NOTES.
- 材質: ハウジング: LCP樹脂, UL94V-0, 色: 自然色
コンタクト: リン青銅
メタルパッチ: ステンレス
MATERIAL: HOUSING: LCP, UL94V-0, COLOR: NATURAL
CONTACT: PHOS-BRO
METAL LATCH: SUS
 - メッキ: コンタクト: 金メッキ (接点部)、ニッケル下地
PLATING: CONTACT (CONTACT POINT): Au PLATE
Ni UNDER PLATE
- △3. コネクタを平面に置き、端子半田付け部の厚きは、0.1mm以下
MUST BE MEASURED FLOATING AMOUNT OF CONTACT TAILS
FROM DATUM SURFACE IS 0.1mm MAX.

公差非累積
TOLERANCES NON-CUMULATIVE

1.8V	TYPE 2	SDM6-V78V18-40A6
2.5V	TYPE 1	SDM6-V78V25-40A6
POWER SUPPLY	KEY TYPE	PART NO. OF CONNECTOR




推奨 SOCKET レイアウト寸法



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

RoHS Compliant		TOLERANCES ARE
DRAWING BY CY		X, ±
CHECKED BY GENIUS		.X, ±
UNIT / mm	SCALE 1:1	.XX, ±
DATE		.XXX, ±
		ANG, ±
SIZE A4	PPOJECTION	






ORDER INFORMATION


SDM6-V78Vxx-40A6-LF

SERIES	LEADFREE
V18: 1.8V	200 WAY
V25: 2.5V	
WIDTH 7.8mm	
180° SMT	

DESCRIPTION: DDR S.O DIMM SOCKET VERTICAL TYPE A FOR 200PIN DDR S.O DIMM



推奨基板レイアウト寸法
RECOMMENDED MOUNTING
P.C. BOARD PATTERN LAYOUT DIM.



1.8V	17.55	2.4	2.7
2.5V	18.45	1.5	1.8
POWER SUPPLY	D5	D4	D3


TOLERANCES ARE

 $X_{\pm}$
$$Y Y_{\pm}$$

.XXX ±

ANG ±

PPOJECTION



SDM6-V78Vxx-40A6-LF



V18:1.8V
V25:2.5V
WIDTH 7.8mm
180°SMT

DESCRIPTION: DDR S.O DIMM SOCKET VERTICAL TYPE A FOR 200PIN DDR S.O DIMM



www.morethanall.com

RoHS Compliant



吸着実装用テープ、サイズ：10×20mm
TAPE, SIZE: 10X20mm

24	TYPE 2	SDM6-V78V18-40A6
24	TYPE 1	SDM6-V78V25-40A6
QTY.	KEY TYPE	PART NO. OF CONNECTOR

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

TOLERANCES ARE

X. ±


.X ±

.XX ±

.XXX ±

ANG ±

PPOJECTION



ORDER INFORMATION

SDM6-V78Vxx-40A6-LF

SERIES LEADFREE
200 WAY

V18:1.8V

V25:2.5V

WIDTH 7.8mm

180°SMT

DESCRIPTION: DDR S.O DIMM SOCKET VERTICAL TYPE A FOR 200PIN DDR S.O DIMM