








● : MANUFACTURER INSPECTION
◆ : Q.C INSPECTION

DESCRIPTION:



PCB LAYOUT : COMPONENT SIDE(5.2&9.2TYPE)



PCB LAYOUT : COMPONENT SIDE(5.2&9.2TYPE)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ±
.XX ±
.XXX ±
ANG ±

照片框

ORDER INFORMATION

SDM6-W52V15-40A6-LF

SERIES

LEADFREE







40+160 WAY

1.5V

HIGH:5.2mm

90°SMT

DESCRIPTION:



B (4 : 1)

照片框

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ±
.XX ±
.XXX ±
ANG ±

ORDER INFORMATION

SDM6-W52V15-40A6-LF

SERIES

LEADFREE
40+160 WAY

1.5V
HIGH:5.2mm
90°SMT

DESCRIPTION: