





MATERIALS

SFP CONNECTOR

HOUSING: LCP (UL 94V-0), BLACK

TERMINAL: COPPER ALLOY, GOLD PLATED ON CONTACT AREA
TIN PLATING ON SOLDER TAIL

SFP CAGE

METAL SHIELD:

TOP: COPPER ALLOY

MIDDLE: COPPER ALLOY

BOTTOM: COPPER ALLOY

BACK: COPPER ALLOY

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X. ± 0.40

.X. ± 0.30

.XX. ± 0.20

.XXX. ± 0.10

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

SFPB1-SCQ-20-LF

SERIES

LEADFREE


20 WAY

90° PRESS FIT


CAGE

FEMALE

DESCRIPTION: STACKED SFP 2x1 CAGE, R/A, METAL SHIELD PRESS FIT TYPE WITH CONNECTOR



BEZEL CUT-OUT OPENING DETAIL



SECTION B-B
BEZEL OPENING
BELOW TIP OF PCB

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.40

.X ± 0.30

.XX ± 0.20

.XXX ± 0.10

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

SFPB1-SCQ-20-LF

SERIES

LEADFREE



20 WAY

90° PRESS FIT


CAGE

FEMALE

DESCRIPTION: STACKED SFP 2x1 CAGE, R/A, METAL SHIELD PRESS FIT TYPE WITH CONNECTOR



P.C.B LAYOUT
TOP VIEW ± 0.05



CONNETTON PINOUT DETAIL
COMPONENT SIDE OF BOARD

DETAIL A
SCALE 2:1

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ± 0.40

.X, ± 0.30

.XX, ± 0.20

.XXX, ± 0.10

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

SFPB1-SCQ-20-LF

SERIES

LEADFREE

20 WAY

90° PRESS FIT

CAGE

FEMALE

DESCRIPTION: STACKED SFP 2x1 CAGE, R/A, METAL SHIELD PRESS FIT TYPE WITH CONNECTOR