

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

SIZE A4

PPOJECTION

照片框

ORDER INFORMATION

UBX2-24C24C2232-M25C-LF

SERIES

LEADFREE

250mm

MALE TO MALE


22 / 32 AWG

24 TO 24 C TYPE

www.morethanall.com

DESCRIPTION:USB TYPE C MALE STRAIGHT ANGLE TO USB TYPE C MALE STRAIGHT ANGLE

PIN OUT



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ±
.XX ±
.XXX ±
ANG ±

P PROJECTION

照片框

ORDER INFORMATION

UBX2-24C24C2232-M25C-LF

SERIES

LEADFREE

250mm

MALE TO MALE

22 / 32 AWG

24 TO 24 C TYPE

DESCRIPTION: USB TYPE C MALE STRAIGHT ANGLE TO USB TYPE C FEMALE STRAIGHT ANGLE

***CONSTRUCTION:

1.CABLE:

* UL2725(1P/32#+EAM)*4+(6C/32#)+(2C/22#(65/0.08TA))
+EAB 85% OD:5.0MM BLACK TPE JACKET.

***CONNECTOR:

2.USB C/M:

* USB TYPE C MALE SOLDER TYPE,PCB WIHTOUT IC,
DEREN OR EQUIVALENT.
* PINS: 30u GOLD PLATED OVER NICKEL.
* INSULATOR: BLACK THERMOPLASTIC UL 94V-0.
* CAPACITOR(10nF 30V).
* SHELL: STEEL WITH NICKEL PLATED.
* MOLDED: BLACK PVC 45P.

3.USB C/M:

* USB TYPE C MALE SOLDER TYPE,PCB WIHT IC,
DEREN OR EQUIVALENT.
* PINS: 30u GOLD PLATED OVER NICKEL.
* INSULATOR: BLACK THERMOPLASTIC UL 94V-0.
* CAPACITOR(10nF 30V) RESISTOR(120K)+E-MARK.
* SHELL: STEEL WITH NICKEL PLATED.
* MOLDED: BLACK PVC 45P.

4.TEST:

* CT: 2 ohm IS: 5M ohm .

5.PACKING:

* PACK EACH CABLE IN A POLY BAG.

6.MATERIAL:

* MATERIAL WITH RoHS GRADE.

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

SIZE A4

PPOJECTION 

照片框

ORDER INFORMATION

UBX2-24C24C2232-M25C-LF

SERIES

LEADFREE

250mm

MALE TO MALE

22 / 32 AWG

24 TO 24 C TYPE

www.morethanall.com

DESCRIPTION:USB TYPE C MALE STRAIGHT ANGLE TO USB TYPE C FEMALE STRAIGHT ANGLE