


Material: *Insulator: Nylon 6T UL 94V-0 (Milky Yellow)
 *Contact Post: 0.20mm^t, Phosphor Bronze, Matte Tin Plated.
 *Solder Tab: 0.20mm^t, Brass, Matte Tin Plated.
 Note: RoHS II and Halogen Free Compliance



Dimensional & Ordering Information:

Circuits	Part No.	Dimensions			Qty/Reel
		A	B	C	
2	GH-VCR-02	—	3.75	5.75	1000
3	GH-VCR-03	2.50	5.00	7.00	1000
4	GH-VCR-04	3.75	6.25	8.25	1000
5	GH-VCR-05	5.00	7.50	9.50	1000
6	GH-VCR-06	6.25	8.75	10.75	1000
7	GH-VCR-07	7.50	10.00	12.00	1000
8	GH-VCR-08	8.75	11.25	13.25	1000
9	GH-VCR-09	10.00	12.50	14.50	1000
10	GH-VCR-10	11.25	13.75	15.75	1000
11	GH-VCR-11	12.50	15.00	17.00	1000
12	GH-VCR-12	13.75	16.25	18.25	1000
13	GH-VCR-13	15.00	17.50	19.50	1000
14	GH-VCR-14	16.25	18.75	20.75	1000
15	GH-VCR-15	17.50	20.00	22.00	1000

RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm


SCALE 1 : 1

DATE

SIZE A4

PJECTION


X, ±
 .X ± 0.25
 .XX ± 0.15
 .XXX ± 0.08
 ANG ±



ORDER INFORMATION


GH-VCR-xx-LF
 SERIES | LEADFREE
 | 02-15WAY
 | REEL
 | CAP
 | 180°SMT

DESCRIPTION:



RoHS Compliant

TOLERANCES ARE



ORDER INFORMATION

GH-VCR-xx-LF
 SERIES | LEADFREE
 | | 02~15WAY
 | | REEL
 | | CAP
 | | 180°SMT

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES
 煜倫股份有限公司
 www.morethanall.com



DRAWING BY CY
 CHECKED BY GENIUS
 UNIT / mm SCALE 1 : 1
 DATE
 SIZE A4 PPROJECTION

X, ±
 .X ± 0.25
 .XX ± 0.15
 .XXX ± 0.08
 ANG ±

DESCRIPTION:


TAPING SPECIFICATIONS

Feeding Direction →




2 TO 8 CIRCUITS

Feeding Direction →



9 TO 15 CIRCUITS

Feeding Direction →



Circuits	Dimensions		Qty/Reel
	A	B	
2	7.50	18.00	1000
3	11.50	24.00	1000
4	11.50	24.00	1000
5	11.50	24.00	1000
6	11.50	24.00	1000
7	11.50	24.00	1000
8	11.50	24.00	1000
9	28.40	32.00	1000
10	28.40	32.00	1000
11	28.40	32.00	1000
12	28.40	32.00	1000
13	40.40	44.00	1000
14	40.40	44.00	1000
15	40.40	44.00	1000

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

CHECKED BY GENIUS


UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.25
.XX ± 0.15
.XXX ± 0.08
ANG ±

PJECTION



ORDER INFORMATION

GH-VCR-xx-LF
SERIES | LEADFREE
02~15WAY
REEL
CAP
180°SMT

煜倫股份有限公司

www.morethanall.com

DESCRIPTION: