

mm (inch)

Circuits	Max-Rated		Dimensional Information	
	Amps	Voltage	Plug	
2	3A	250V		
3	3A	250V		
4	3A	250V		

### SM Series Housing

- \* Material : Nylon UL 94V-2
- \* Standard color : black
- \* 2-12 circuits available

SM-P-xx-LF  
LEADFREE

**RoHS Compliant**



PART NO. <b>SM-P-xx</b>		CHECKED BY <b>CY</b>		TOLERANCES ARE		DESCRIP TION:	
DWG NO. <b>SM-P-xx</b>		DRAWING BY		.X ± 0.2 .XX ± XXX ± AWG			
FILE NO.		PROJECTION		AREA		REVISIONS	
UNIT / mm	SCALE 1:1			DATE		HK	

煜倫股份有限公司

	1	2	3	4	5	6	7	8	9	0
J										
I										
H										
G										
F										
E										
D										
C										
B										
A										

	10	9	8	7	6	5
	3A	3A	3A	3A	3A	3A
	250	250	250	250	250	250



PART NO. **SM-P-xx**

DWG NO. **SM-P-xx**

FILE NO.

UNIT / mm

SCALE 1:1

CHECKED BY CY

DRAWING BY

PROJECTION

TOLERANCES ARE

- .X ± 0.2
- .XX ±
- .XXX ±
- AWG


DESCRIPTION:

AREA	REVISIONS	HK	DATE
------	-----------	----	------

煜倫股份有限公司

1 2 3 4 5 6 7 8 9 0

J  
I  
H  
G  
F  
E  
D  
C  
B  
A



PART NO. **SM-P-xx**

DWG NO. **SM-P-xx**

CHECKED BY **CY**

TOLERANCES ARE

DESCRIP TION:

FILE NO.

DRAWING BY

.X ± 0.2  
.XX ±  
.XXX ±  
AWG

AREA

REVISIONS

HK

DATE

煜倫股份有限公司

UNIT / mm

SCALE 1:1

PROJECTION