


PIN NO.	NAME
#01	DAT2
#02	CD/DAT3
#03	CMD
#04	VDD
#05	CLK
#06	V <sub>ss2</sub>
#07	DAT0
#08	DAT1
#09	CARD DETECT Switch
#10	CARD DETECT Com.
#11	GND

NOTES :


- MATERIAL :  
 INSULATOR : HIGH TEMPERATURE THERMOPLASTIC  
 FLAMMABILITY RATING : UL94V-0 COLOR : BLACK  
 CONTACT : COPPER ALLOYS  
 COVER : STAINLESS STEEL
- CONTACT AREA PLATING : GOLD OVER Ni




TFC-WPBR-08-LF  
LEADFREE

RoHS Compliant

	PART NO. TFC-WPBR-08		CHECKED BY CY		TOLERANCES ARE .X ± 0.2 .XX ± .XXX ± AWG		DESCRIP TION:			
	DWG NO. TFC-WPBR-08									
焯倫股份有限公司	FILE NO.		DRAWING BY		PROJECTION		AREA      REVISIONS      HK      DATE			
	UNIT / mm	SCALE 1:1								




RECOMMEND P. C. B. LAYOUT  
TOLERANCE  $\pm 0.05$



RECOMMEND CARD SLOT  
TOLERANCE  $\pm 0.05$

(1.05) Push Stroke  
(1.75) Card Lock Position  
(5.40) Ejector Position



XXXXXXXXXX  
XXXXXXXXXX

A SIZE WHEN A HOOK PART  
OPERATES (MAX. 0.4mm)

**MORETHANALL**  
CONNECTORS  
ASSEMBLIES

PART NO. TFC-WPBR-08

DWG NO. TFC-WPBR-08

FILE NO.

CHECKED BY CY

DRAWING BY

TOLERANCES ARE

.X  $\pm 0.2$   
.XX  $\pm$   
.XXX  $\pm$   
AWG

DESCRIPTION:

煜倫股份有限公司

UNIT / mm

SCALE 1:1

PROJECTION




AREA

REVISIONS

HK

DATE



**MORETHANALL**  
CONNECTORS  
ASSEMBLIES

PART NO. TFC-WPBR-08

DWG NO. TFC-WPBR-08

CHECKED BY CY

TOLERANCES ARE

DESCRIP TION:

FILE NO.

DRAWING BY

.X ± 0.2  
.XX ±  
.XXX ±  
AWG

AREA

REVISIONS

HK

DATE

煜倫股份有限公司

UNIT / mm

SCALE 1:1

PROJECTION

