




序號	品 名 規 格	用量	備 注
1	H03VVH2-F 0.75/2C 黑色	1PC	2000±15(YL)
2	黑色55P膠料	18g/PC	
3	黑色歐式架(98003-A)	1PC	
4	三爪磷青銅管:98714PS-0	2PCS	
5	內模 黑色	1PC	
6	黑色50P膠料	9g/PC	
7	迷你帶:L=130mm 黑色	1PC	

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X. ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ± 1°

照片框

ORDER INFORMATION

ACCACR-0202RUS18-A2M-LF

SERIES

LEADFREE

2000mm




FEMALE TO MALE

18 AWG





R.A./upright to st./ type

02 TO 02 WAY

DESCRIPTION:



5條一扎



C/NO. :

MADE IN CHINA

注:

1. 200PCS/箱.
2. 防水袋:80cmX80cmX0.05mm
3. 紙箱尺寸:(39X30X23)cm

SIDE MARK:

P/O:

P/N:

QTY: PCS

** N. W. : KGS

*** G. W. : KGS

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ± 1°

照片框

ORDER INFORMATION

ACCACR-0202RUS18-A2M-LF

SERIES

LEADFREE

2000mm



FEMALE TO MALE

18 AWG

R.A./upright to st./ type

02 TO 02 WAY

DESCRIPTION:



RoHS Compliant

TOLERANCES ARE

X, ±
 .X ± 0.30
 .XX ± 0.20
 .XXX ± 0.10
 ANG ± 1°

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION 

照片框

ORDER INFORMATION

ACCACR-0202RUS18-A2M-LF

SERIES

LEADFREE

2000mm

FEMALE TO MALE


18 AWG

R.A./upright to st./ type

02 TO 02 WAY

DESCRIPTION:









www.morethanall.com



NSW23599



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ± 1°

照片框

ORDER INFORMATION

ACCACR-0202RUS18-A2M-LF

SERIES

LEADFREE
2000mm
FEMALE TO MALE

18 AWG
R.A./upright to st./ type
02 TO 02 WAY

DESCRIPTION: