

PLUG MARK

N

INMETRO CIP 0004

10A 250V~

Fabricado na China

CONNECTOR MARK

KEMA

CE

N16493

10A 250V~

CORD SECTION:

CORD MARKING:

PHINO Cabo H05 VV-F 3G0.75mm² <VDE> KEMA-KEUR IEMMEQU +++++ <VDE>
 CEBEC (S) (N) (D) (F) SABS SANS 60227-5 60227 IEC 53 300/500V CE Cn -LF-
 ROLL NO.: 1,2,3... CHINA FACTORY

1. PVC MOLDED PLUG: (BLACK)
2. FLEXIBLE CORD: 3G0.75MM² (BLACK)
3. ELLIPTIC TIE (BLACK)
4. PVC MOLDED CONNECTOR: (BLACK)

NOTE: ALL MATERIALS ARE RoHS COMPLIANCE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ±
 .X ±
 .XX ±
 .XXX ±
 ANG ±

PPOJECTION

照片框


ORDER INFORMATION

ACFACR-030318-A1M8-LF


SERIES

LEADFREE
 1800mm
 FEMALE TO MALE
 18 AWG
 03 TO 03 WAY

DESCRIPTION:



1. PLUG PIN
2. PVC MOLDED PLUG
3. FLEXIBLE CORD:



Fabricado na China

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

>20:±2.0
≤20:±1.0
≤10:±0.5
≤1.0:±0.3

照片框


ORDER INFORMATION

ACFACR-030318-A1M8-LF


SERIES

LEADFREE
1800mm
FEMALE TO MALE
18 AWG
03 TO 03 WAY


DESCRIPTION:



A



B



SIDE A:

SIDE B:



N16493
10A 250V~

1. PVC CONNECTOR BODY
2. PVC FLEXIBLE CORD



煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY
CHECKED BY GENIUS
UNIT / mm SCALE 1 : 1
DATE

TOLERANCES ARE

>20:±2.0
≤20:±1.0
≤10:±0.5
≤1.0:±0.3

照片框

SIZE A4

PPOJECTION

ORDER INFORMATION

ACFACR-030318-A1M8-LF

SERIES
LEADFREE
1800mm
FEMALE TO MALE
18 AWG
03 TO 03 WAY

DESCRIPTION: