






5	Fork Lock-B	Stainless Steel,Ni Plated	1
4	Fork Lock-A	Stainless Steel,Ni Plated	2
3	Contact	C7025 0.2T,Gold on contact area,Tin on solder area	288
2	Extractor	PA9T, UL94V-0,Black	2
1	Insulator	PA9T, UL94V-0,Black	1
No.	Material	Specifications	Q'ty(pcs)

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X ± 0.25

.XX ± 0.15

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VM20BK-288V11U-LF

SERIES

180° SMT

BLACK

METAL FOOT 2.0mm



288 WAY

1.1V

LEADFREE

UDIMM

DESCRIPTION: DDR 5 , 288Pin SMT Vertical Type



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X ± 0.25

.XX ± 0.15

.XXX ±

ANG ±

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VM20BK-288V11U-LF

SERIES

180° SMT

BLACK

METAL FOOT 2.0mm


288 WAY

1.1V

LEADFREE

UDIMM

DESCRIPTION: DDR 5 , 288Pin SMT Vertical Type



PCB LAYOUT

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X: ± 0.50

CHECKED BY GENIUS

.X: ± 0.25

UNIT / mm

SCALE 1 : 1

.XX: ± 0.15

DATE

.XXX: ±

ANG: ±

SIZE A4

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VM20BK-288V11U-LF

SERIES

180° SMT

BLACK

METAL FOOT 2.0mm

288 WAY

1.1V


LEADFREE

UDIMM

煜倫股份有限公司

www.morethanall.com

DESCRIPTION: DDR 5 , 288Pin SMT Vertical Type



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X. ± 0.25

.XX ± 0.15

.XXX $\pm$

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VM20BK-288V11U-LF

SERIES

180° SMT

BLACK

METAL FOOT 2.0mm

288 WAY

1.1V

UDIMM

LEADFREE

DESCRIPTION: DDR 5 , 288Pin SMT Vertical Type