




RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ±

照片框

ORDER INFORMATION

DIM085-VZ32BK-288V11R-LF

SERIES

180° SMT

CLIP FOOT

BLACK

288 WAY

3.28mm

LEADFREE

RDIMM

1.1V


288 WAY

3.28mm

DESCRIPTION: DIMM DDR 5 288 Pin SMT Vertical Type

煜倫股份有限公司

www.morethanall.com



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ±

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VZ32BK-288V11R-LF

SERIES

180° SMT

CLIP FOOT

288 WAY

1.1V

3.28mm

LEADFREE




RDIMM

288 WAY

1.1V

3.28mm

DESCRIPTION: DIMM DDR 5 288 Pin SMT Vertical Type



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ±

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VZ32BK-288V11R-LF

SERIES

180° SMT

CLIP FOOT

BLACK

288 WAY

1.1V

3.28mm

LEADFREE


RDIMM

288 WAY

1.1V

3.28mm

DESCRIPTION: DIMM DDR 5 288 Pin SMT Vertical Type



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ± 0.10
ANG ±

PPOJECTION

照片框

ORDER INFORMATION

DIM085-VZ32BK-288V11R-LF

SERIES

180° SMT

CLIP FOOT

288 WAY

1.1V

LEADFREE
RDIMM

DESCRIPTION: DIMM DDR 5 288 Pin SMT Vertical Type