




MATERIAL:

1. HOUSING:

PA66+30%GF, UL94 V-2, COLOR: SEE TABLE;

2. EJECTOR:

PA66+30%GF, UL 94V-2, COLOR: SEE TABLE;

3. TERMINAL: BRASS C2680, T=0.25mm;

4. FORK: BRASS C2680, Ni PLATED

5. CONTACT PLATING: G/F

RoHS Compliant

TOLERANCES ARE

DRAWING BY CY

X. ± 0.50

CHECKED BY GENIUS

.X ± 0.38

UNIT / mm

SCALE 1 : 1

.XX ± 0.25

DATE

.XXX ± 0.15

ANG ±

SIZE A4

PPOJECTION

照片框

ORDER INFORMATION

DIM1-DZ-240V15-LF

SERIES

LEADFREE

1.5V

240 WAY

CLIP


DIP 180°

DESCRIPTION: DDR3 DIMM 180D DIP 240PIN SOLT


MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司


www.morethanall.com



Recommend PCB Layout (Top View)
Tolerances: ± 0.05



DETAIL I
Option 2: Center Slot



DETAIL I
Option 1: Center Round Hole

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X. ± 0.38

.XX. ± 0.25

.XXX. ± 0.15

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

DIM1-DZ-240V15-LF

SERIES


LEADFREE

240 WAY


CLIP

DIP 180°

DESCRIPTION: DDR3 DIMM 180D DIP 240PIN SOLT



RECOMMENDED MODULE LAYOUT



DETAIL M(5:1)

照片框

RoHS Compliant

TOLERANCES ARE

DRAWING BY CY

X. ± 0.50

CHECKED BY GENIUS

.X ± 0.38

UNIT / mm

SCALE 1 : 1

.XX ± 0.25

DATE

.XXX ± 0.15

ANG ±

SIZE A4

PPOJECTION

ORDER INFORMATION

DIM1-DZ-240V15-LF

SERIES

LEADFREE

1.5V

240 WAY

CLIP




DIP 180°

DESCRIPTION: DDR3 DIMM 180D DIP 240PIN SOLT


MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com



1 Sheaf / Carton
500pcs / Carton
Size:(L)355*(W)280*(H)300mm



50	10	500
PCS/ TRAY	TRAYS/ CARTON	PCS/ CARTON

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X ± 0.38

.XX ± 0.25

.XXX ± 0.15

ANG $\pm$

PPOJECTION

照片框

ORDER INFORMATION

DIM1-DZ-240V15-LF

SERIES | LEADFREE
CLIP
DIP 180°
240 WAY
1.5V

DESCRIPTION: DDR3 DIMM 180D DIP 240PIN SOLT