





SEC.: X-X'



Contact Detail

Material :

- * Body : High temperature plastic UL 94V-0
Color Nature
- * Slider : High temperature plastic UL 94V-0
Color Black
- * Contact : Copper alloy with Matte Tin
or Gold plated
- * Fixed tab : Copper alloy with Matte Tin plated

照片框

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4


PPOJECTION

X, $\pm$
.X $\pm$ 0.15
.XX $\pm$ 0.10
.XXX $\pm$ 0.05
ANG $\pm$


ORDER INFORMATION

FPE-WZA20R-xx-LF
SERIES | | | | LEADFREE
04-34WAY
REEL
HIGH 2.0mm
UPPER CONTACT
90°SMT
ZIF

DESCRIPTION:



Sold Pad Pattern



Accommodated FFC/FPC



Circuits	Dimension		
	A	B	C
4	2.40(.094)	9.00(.354)	4.10(.161)
5	3.20(.126)	9.80(.386)	4.90(.193)
6	4.00(.157)	10.60(.417)	5.70(.224)
7	4.80(.189)	11.40(.449)	6.50(.256)
8	5.60(.220)	12.20(.480)	7.30(.287)
9	6.40(.252)	13.00(.512)	8.10(.319)
10	7.20(.283)	13.80(.543)	8.90(.350)
11	8.00(.315)	14.60(.575)	9.70(.382)
12	8.80(.346)	15.40(.606)	10.50(.413)
13	9.60(.378)	16.20(.638)	11.30(.445)
14	10.40(.409)	17.00(.669)	12.10(.476)
15	11.20(.441)	17.80(.701)	12.90(.508)
16	12.00(.472)	18.60(.732)	13.70(.539)
17	12.80(.504)	19.40(.764)	14.50(.571)
18	13.60(.535)	20.20(.795)	15.30(.602)
19	14.40(.567)	21.00(.827)	16.10(.634)
20	15.20(.598)	21.80(.858)	16.90(.665)
21	16.00(.630)	22.60(.890)	17.70(.697)
22	16.80(.661)	23.40(.921)	18.50(.728)
23	17.60(.693)	24.20(.953)	19.30(.760)
24	18.40(.724)	25.00(.984)	20.10(.791)
25	19.20(.756)	25.80(1.016)	20.90(.823)
26	20.00(.787)	26.60(1.047)	21.70(.854)
27	20.80(.819)	27.40(1.079)	22.50(.886)
28	21.60(.850)	28.20(1.110)	23.30(.917)
29	22.40(.882)	29.00(1.142)	24.10(.949)
30	23.20(.913)	29.80(1.173)	24.90(.980)
31	24.00(.945)	30.60(1.205)	25.70(1.012)
32	24.80(.976)	31.40(1.236)	26.50(1.043)
33	25.60(1.008)	32.20(1.286)	27.30(1.075)
34	26.40(1.039)	33.00(1.299)	28.10(1.106)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION


X, ±
.X ± 0.15
.XX ± 0.10
.XXX ± 0.05
ANG ±

照片框

ORDER INFORMATION

FPE-WZA20R-xx-LF
SERIES | | | | LEADFREE
04-34WAY
REEL
HIGH 2.0mm
90°SMT | | | | UPPER CONTACT
ZIF

DESCRIPTION:



DESCRIPTION: