



NOTES:

1. MATERIAL: (HF) NYLON 66, UL94V-0; COLOR: SEE ORDERING CODE

PIN	DIM.(mm)				PIN	DIM.(mm)			
	A	B	C	D		A	B	C	D
02		5.35	3.75	1.95	09	10.00	14.10	12.50	6.20
03	2.50	6.60	5.00	3.20	10	11.25	15.35	13.75	8.15
04	3.75	7.85	6.25	4.25	11	12.50	16.60	15.00	8.15
05	5.00	9.10	7.50	4.25	12	13.75	17.85	16.25	8.15
06	6.25	10.35	8.75	6.20	13	15.00	19.10	17.50	8.15
07	7.50	11.60	10.00	6.20	14	16.25	20.35	18.75	8.15
08	8.75	12.85	11.25	6.20	15	17.50	21.60	20.00	8.15

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.25
.XX ± 0.15
.XXX ±
ANG ± 3°



照片框

ORDER INFORMATION



GH-H-xx-LF
SERIES | LEADFREE
02~15WAY
HOUSING

DESCRIPTION: WIRE TO BOARD, PITCH 1.25mm, CRIMP TYPE, INSULATOR



1x02





1x05





1x08





1x11





1x14





1x03





1x06





1x09





1x12





1x15





1x04





1x07



1x10



1x13



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.25
.XX ± 0.15
.XXX ±
ANG ± 3°

PPOJECTION

照片框


ORDER INFORMATION

GH-H-xx-LF
SERIES | LEADFREE
02~15WAY
HOUSING


DESCRIPTION: WIRE TO BOARD, PITCH 1.25mm, CRIMP TYPE, INSULATOR




CONNECTOR




BAG



LABEL



LABEL



CARTON

NOTES:

1. MATERIAL:
CARTON: FIBREBOARD, CORRUGATED, DOUBLE WALL.
PE BAG: POLYETHYLENES, TRANSPARENT COLOR.
2. DIMENSION:
PE BAG: SEE TABLE
CARTON: 400 X 280 X 280 mm.
3. QUANTITY: SEE TABLE

PACKING MATERIAL		
PART NAME	PIN	DIM.(mm)
PE BAG	1x02~1x10	0.08*130*150
	1x11~1x15	0.08*150*190

PACKING CAPACITY			
PIN	PCS/BAG	BAG/BC	PCS/BC
1x02~1x05	1,000	100	100,000
1x06~1x11	1,000	80	80,000
1x12~1x15	1,000	60	60,000

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.25
.XX ± 0.15
.XXX ±
ANG ± 3°

照片框

ORDER INFORMATION

GH-H-xx-LF
SERIES | LEADFREE
02~15WAY
HOUSING

DESCRIPTION: WIRE TO BOARD, PITCH 1.25mm, CRIMP TYPE, INSULATOR