

	1	2	3	4	5	6	7	8	9	0																																																			
J	CONSTRUCTION DRAWING:																																																												
I																																																													
H	<p>(Close part)</p> <p>(Slit part)</p> <p>L : Length of slit part, Min. 20mm</p> <p>A : Close part, 30mm or 50mm</p>																																																												
G																																																													
F	CONSTRUCTION DRAWING:																																																												
E	<table><tr><th rowspan="2">Code No.</th><th rowspan="2">Number of cores</th><th colspan="2">Size of conductor</th><th rowspan="2">Thickness (mm±0.1)</th><th rowspan="2">Width (mm)</th><th rowspan="2">Allowable error</th></tr><tr><th>(AWG)</th><th>Composition (strands/mm)</th></tr><tr><td>HFMS-30R5HF-034</td><td>34</td><td>30</td><td>7/0.102</td><td>0.66</td><td>21.59</td><td>±0.15</td></tr><tr><td>HFMS-30R5HF-040</td><td>40</td><td>30</td><td>7/0.102</td><td>0.66</td><td>25.40</td><td>±0.15</td></tr><tr><td>HFMS-30R5HF-044</td><td>44</td><td>30</td><td>7/0.102</td><td>0.66</td><td>27.94</td><td>±0.15</td></tr><tr><td>HFMS-30R5HF-050</td><td>50</td><td>30</td><td>7/0.102</td><td>0.66</td><td>31.75</td><td>±0.15</td></tr><tr><td>HFMS-30R5HF-068</td><td>68</td><td>30</td><td>7/0.102</td><td>0.66</td><td>43.18</td><td>±0.15</td></tr><tr><td>HFMS-30R5HF-080</td><td>80</td><td>30</td><td>7/0.102</td><td>0.66</td><td>50.80</td><td>±0.15</td></tr></table>										Code No.	Number of cores	Size of conductor		Thickness (mm±0.1)	Width (mm)	Allowable error	(AWG)	Composition (strands/mm)	HFMS-30R5HF-034	34	30	7/0.102	0.66	21.59	±0.15	HFMS-30R5HF-040	40	30	7/0.102	0.66	25.40	±0.15	HFMS-30R5HF-044	44	30	7/0.102	0.66	27.94	±0.15	HFMS-30R5HF-050	50	30	7/0.102	0.66	31.75	±0.15	HFMS-30R5HF-068	68	30	7/0.102	0.66	43.18	±0.15	HFMS-30R5HF-080	80	30	7/0.102	0.66	50.80	±0.15
Code No.	Number of cores	Size of conductor		Thickness (mm±0.1)	Width (mm)	Allowable error																																																							
		(AWG)	Composition (strands/mm)																																																										
HFMS-30R5HF-034	34	30	7/0.102	0.66	21.59	±0.15																																																							
HFMS-30R5HF-040	40	30	7/0.102	0.66	25.40	±0.15																																																							
HFMS-30R5HF-044	44	30	7/0.102	0.66	27.94	±0.15																																																							
HFMS-30R5HF-050	50	30	7/0.102	0.66	31.75	±0.15																																																							
HFMS-30R5HF-068	68	30	7/0.102	0.66	43.18	±0.15																																																							
HFMS-30R5HF-080	80	30	7/0.102	0.66	50.80	±0.15																																																							
D																																																													
C																																																													
B	SAMPLES:																																																												
A	<p>HFMS-30R5HF-xxx-LF LEADFREE</p> <p>RoHS Compliant</p>																																																												
MORETHANALL CONNECTORS ASSEMBLIES		PART NO. HFMS-30R5HF-xxx		DWG NO. HFMS-30R5HF-xxx		CHECKED BY CY		TOLERANCES ARE		DESCRIP TION:																																																			
煜倫股份有限公司		FILE NO.		DRAWING BY		.X ± 0.2 .XX ± .XXX ± AWG		AREA		REVISIONS		HK		DATE																																															
		UNIT / mm	SCALE 1 : 1	PROJECTION																																																									