



Material: *Insulator: Nylon 66 UL 94V-0 (Brown)

*Contact: Brass, Tin Plated

Note: RoHS and Halogen Free Compliance.



02P



03P

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

PPOJECTION



X.±
.X±
.XX±
.XXX±
ANG±

照片框




ORDER INFORMATION

ILG-R-xx-HF
SERIES | HALOGEN FREE
02~15WAY
DIP 90°

DESCRIPTION:



Material: *Insulator: Nylon 66 UL 94V-0 (Brown)
 *Contact: Brass, Tin Plated
 Note: RoHS and Halogen Free Compliance.



Dimensional & Ordering Information :

Circuits	Dimensions			PCS/BAG
	A	B	C	
4	7.50	10.00	2.50	500
5	10.00	12.50	3.00	
6	12.50	15.00	3.50	

RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm


SCALE 1 : 1

DATE

SIZE A4

PPOJECTION



X.±
 .X±
 .XX±
 .XXX±
 ANG±



ORDER INFORMATION

ILG-R-xx-HF
 SERIES | HALOGEN FREE
 02~15WAY
 DIP 90°



DESCRIPTION:



PCB EDGE

PCB LAYOUT

Material: *Insulator: Nylon 66 UL 94V-0 (Brown)
 *Contact: Brass, Tin Plated
 Note: RoHS and Halogen Free Compliance.



Dimensional & Ordering Information :

Circuits	Dimension			PCS/BAG
	A	B	C	
7	15.00	17.50	4.20	500
8	17.50	20.00	6.70	
9	20.00	22.50	9.20	
10	22.50	25.00	11.70	
11	25.00	27.50	14.20	
12	27.50	30.00	16.70	

RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm


SCALE 1 : 1

DATE

SIZE A4

PPOJECTION



X.±
 .X±
 .XX±
 .XXX±
 ANG±





ORDER INFORMATION

ILG-R-xx-HF
 SERIES | HALOGEN FREE
 02~15WAY
 DIP 90°

DESCRIPTION:



Material: *Insulator: Nylon 66 UL 94V-0 (Brown)
 *Contact: Brass, Tin Plated
 Note: RoHS and Halogen Free Compliance.



Dimensional & Ordering Information :

Circuits	Dimension				PCS/BAG
	A	B	C	D	
13	30.00	32.50	19.20	30.90	500
14	32.50	35.00	21.70	33.40	
15	35.00	37.50	24.20	35.90	

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1


DATE

SIZE A4

TOLERANCES ARE

X.±
 .X±
 .XX±
 .XXX±
 ANG±

PPOJECTION



ORDER INFORMATION

ILG-R-xx-HF
 SERIES | HALOGEN FREE
 02~15WAY
 DIP 90°

DESCRIPTION: