

A	COLOR	B
4	WHITE	1
3	WHITE	2
2	WHITE	3
1	WHITE	4

NOTES:

1. ALL DIMENSIONS ARE "mm".
2. THE PRODUCT MUST BE COMPLY WITH THE DIRECTIVE OF ROHS.

ELECTRICAL TESTING:

1. 100% OPEN/SHORT TEST
2. CONTACT RESISTANCE: 5mΩ
3. INSULATION RESISTANCE: 5MΩ Min

NO.	ITEM.	DESCRIPTION	Q'TY	UL/CSA No.
1	WIRE:	UL1007 #22 WHITE	4PCS	E108485
2	HOUSING:	KK-H-04	2PCS	
3	TERMINAL:	KK-T-18	8PCS	
4	CABLE TIE:	NATURE COLOR 2.5*100mm	3PCS	
5				
6				

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

SIZE A4

PPOJECTION



ORDER INFORMATION

KKX2-040422W2-F28C5-LF

SERIES

285mm

WIRE

22 AWG

04 TO 04 WAY

LEADFREE



FEMALE TO FEMALE

煜倫股份有限公司


www.morethanall.com

DESCRIPTION: CABLE ASS'Y

- * MAT'L: NYLON 66 UL94V-2
- * Color: transparent white
- * CURRENT RATING: 5A~7A AC,DC
- * VOLTAGE RATING: 250V AC,DC



LOCKING RAMP



WITH LOCKING RAMP	DIM. A	DIM. B
02	8.22	3.96
03	12.18	7.92
04	16.14	11.88
05	20.10	15.84
06	24.06	19.80
07	28.02	23.76
08	31.98	27.72
09	35.94	31.68
10	39.90	35.64
11	43.86	39.60
12	47.87	43.56
13	51.78	47.52
14	55.74	51.48
15	59.70	55.44
16	63.66	59.40
17	67.62	63.36
18	71.58	67.32
19	75.54	71.28
20	79.50	75.24

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

P PROJECTION

X. ±
.X ±
.XX ±
.XXX ±
ANG ±




ORDER INFORMATION


KK-H-xx-LF
SERIES | LEADFREE
02~20 WAY
HOUSING

DESCRIPTION:



- * THICKNESS: 0.25mm
- * MAT'L: BRASS TIN PLATED
- * CURRENT RATING: 5A~7A AC,DC
- * VOLTAGE RATING: 250V AC,DC
- * APPLICABLE WIRE RANGE: AWG#18-22
- * ACCEPT'S WITH: 1.14mm (.045") SQUARE PIN



Section A-A'



Section B-B'



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

PJECTION

X.±
.X±
.XX±
.XXX±
ANG±



ORDER INFORMATION

KK-T-18-LF
SERIES | LEADFREE
18~22AWG
TERMINAL

DESCRIPTION: