






Specifications:

Current Rating:12~21.0A AC/DC

Voltage Rating:600V AC/DC

Contact Resistance:30m ohm. Max.

Insulation Resistance:1000M ohm. Min.


Withstanding Voltage:600V AC For One Minute

Operating Temperature Range:-40°C To +105°C

Materials:

Insulator:NY66 (UL94V-0)

Insulator Color:Black



Circuits	DIM A	DIM B
02	8.35	
04	12.05	5.70
06	17.75	11.40
08	23.45	17.10
10	29.15	22.80
12	34.85	28.50

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.25
.XX ± 0.20
.XXX ±
ANG ±


PPOJECTION

照片框


ORDER INFORMATION

MGF-SH-2Xxx-LF
SERIES | LEADFREE
2X01:02WAY
2X06:12WAY
HOUSING
FEMALE


DESCRIPTION: 5.7mm Power RECEPTACLE HOUSING DUAL ROW




2X1 PIN




2X2 PIN




2X3 PIN



2X4 PIN



2X5 PIN



2X6 PIN

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
.X ± 0.25
.XX ± 0.20
.XXX ±
ANG ±




PPOJECTION

照片框


ORDER INFORMATION

MGF-SH-2Xxx-LF
SERIES | LEADFREE
2X01:02WAY
2X06:12WAY
HOUSING
FEMALE



DESCRIPTION: 5.7mm Power RECEPTACLE HOUSING DUAL ROW



Note:
 1.Dimension:
 Carton Size:40*28*28(cm)
 2.Quantity:
 XX Pcs/Bag
 Q'TY:XXXX Pcs



Pin	Pcs/Bag	Bag Size	Pcs/Carton
2	1000	300x300	8000
4	1000	300x400	6000
6	500	300x400	3000
8	250	300x400	2000
10	250	300x400	1500
12	250	300x400	1000



RoHS Compliant

TOLERANCES ARE

MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

X, ±
 .X ± 0.25
 .XX ± 0.20
 .XXX ±
 ANG ±

PPOJECTION

照片框

ORDER INFORMATION

MGF-SH-2Xxx-LF
 SERIES | LEADFREE
 2X01:02WAY
 2X06:12WAY
 HOUSING
 FEMALE

DESCRIPTION: 5.7mm Power RECEPTACLE HOUSING DUAL ROW