






2. CONTACT AREA PLATING : GOLD OVER NI

DESCRIPTION: 4 IN 1 MEMORY CARD CONNECTOR NORMAL PUSH-PUSH TYPE



28	VSS	Vss		
26	BS	Protocol Bus State Signal		
24	DATA1	Hi-Z	Data Signal 1	Vcc
22	SDIO/DATA0	Data Signal	Data Signal 0	Data Signal
20	DATA2	Hi-Z	Data Signal 2	Reserved
18	INS	Stick insertion/extraction detect-terminal		
16	DATA3	Hi-Z	Data Signal 3	Reserved
14	SCLK	Protocol Clock Signal		
12	VCC	Vcc		
10	VSS	Vss		
NO.	PIN NAME	SERIAL	PARALLEL	SERIAL
		MEMORY STICK PRO		MEMORY STICK
MS & MS PRO Pin Assignment				

14	See MS & MS Pro Assignment	28	See MS & MS Pro Assignment	42&43	GND
13	XD_WP	27	XD_D1	41	SD_WP
12	See MS & MS Pro Assignment	26	See MS & MS Pro Assignment	40	SD_GND
11	SD_CD/DAT3	25	SD_CLK	39	SD_C/D
10	See MS & MS Pro Assignment	24	See MS & MS Pro Assignment	38	XD_VCC
9	SD_DAT2	23	XD_D0	37	XD_D7
8	XD_WE	22	See MS & MS Pro Assignment	36	XD_D6
7	XD_ALE	21	SD_VDD	35	XD_D5
6	XD_CLE	20	See MS & MS Pro Assignment	34	SD_DAT1
5	XD_CE	19	SD_VSS	33	XD_D4
4	XD_RE	18	See MS & MS Pro Assignment	32	XD_D3
3	XD_R/B	17	XD_GND	31	SD_DAT0
2	XD_CARD DETECT	16	See MS & MS Pro Assignment	30	XD_D2
1	XD_GND	15	SD_CMD	29	SD_VSS
PIN NO.	DESCRIPTION	PIN NO.	DESCRIPTION	PIN NO.	DESCRIPTION

[illegible]

Code	Name	Part No.	Spec(mm)	Notes
1	Carrier Tape	PACKS-02-R027	W=56	Material:PS Color:Black
2	Cover Tape	PACKS-30-V156 PACKS-30-0018	W=44.6	Naterial:PE Color:Transparent
3	Reel Fin	PACKL-03-0010	Φ330	Material:PS Color:Blue
4	REEL Spin	PACKL-03-0013	Φ100	Material:PS Color:Blue

TOLERANCES ARE

www.morethanall.com

SIZE A4

X.	±
.X	±
.XX	±
.XXX	±
ANG	±

PPOJECTION 

照片框

ORDER INFORMATION

MHC-W11PBR-401-LF
SERIES REEL 4 IN 1 LEADFREE
90°SMT SWITCH OPEN
PUSH PUSH
POST TO POST 11.0mm

DESCRIPTION: