

3 PRONGS FOR SOLID WIRE(S)
單芯線用三叉型金片

Material

1. Housing Material : (Polycarbonate(PC) UL 94V-2)
2. Contact Type : (3 prongs for SOLID wire)
3. Gold Plating : (F μ Flash)
4. Contact Material : (Phosphor Bronze)
5. Accessory : (Sled Liner)

Remark:

1. Available for 24 or 26 AWG wire.

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X. ±

.X ±

.XX ±

.XXX ±

ANG ±




PJECTION

照片框

ORDER INFORMATION

MP-R6A3-0808-LF
SERIES | LEADFREE
8P8C
3 PRONGS
CAT 6A
ROUND OUTLET

DESCRIPTION:



Material:

1. Material: (Polycarbonate(PC) UL 94V-2)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

照片框

ORDER INFORMATION

MP-R6A3-0808-LF
SERIES | 3 PRONGS | 8P8C | LEADFREE
CAT 6A
ROUND OUTLET




煜倫股份有限公司

www.morethanall.com

SIZE A4

P PROJECTION

DESCRIPTION:



Material:

1. Material: (Polycarbonate(PC) □UL 94V-2)

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1 : 1

.XX±

DATE

.XXX±

ANG±

照片框

ORDER INFORMATION

MP-R6A3-0808-LF
SERIES | 3 PRONGS | 8P8C | LEADFREE
CAT 6A
ROUND OUTLET

煜倫股份有限公司

www.morethanall.com

SIZE A4

PJECTION

DESCRIPTION: