

2 PRONGS FOR STRANDED WIRE
多芯線用二叉型片

Remark:

1.適用24或 26 AWG 線材。 Available for 24 or 26 AWG wire.

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

X. ±
.X ±
.XX ±
.XXX ±
ANG ±

PJECTION

照片框





ORDER INFORMATION

MP-RF7-0808-LF
SERIES | 8P8C | LEADFREE
CAT 7
FULL METAL
ROUND OUTLET

煜倫股份有限公司

www.morethanall.com

DESCRIPTION:



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

SIZE A4

PPOJECTION

照片框




ORDER INFORMATION

MP-RF7-0808-LF
SERIES | 8P8C | LEADFREE
| CAT 7 |
| FULL METAL |
| ROUND OUTLET |

煜倫股份有限公司

www.morethanall.com

DESCRIPTION:



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

X.±

CHECKED BY GENIUS

.X±

UNIT / mm

SCALE 1:1

.XX±

DATE

.XXX±

ANG±

照片框

ORDER INFORMATION

MP-RF7-0808-LF
SERIES | 8P8C | LEADFREE
CAT 7
FULL METAL
ROUND OUTLET

煜倫股份有限公司

www.morethanall.com

SIZE A4

PJECTION

DESCRIPTION: