

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1:1

DATE

SIZE A4

X, ±
.X ± 0.15
.XX ± 0.05
.XXX ± 0.02
ANG ±

PJECTION

照片框

ORDER INFORMATION


MSAS-SWPCR-036-LF

SERIES | | | | LEADFREE
| | | | 36 WAY
| | | | REEL
| | | | MYLAR
FEMALE | | POST
90°SMT

煜倫股份有限公司

www.morethanall.com

DESCRIPTION: MINI-SAS CONNECTOR, 36POS, RIGHT ANGLE RECEPTACLE, SMT TYPE, 0.8MM,



RoHS Compliant

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

DRAWING BY CY		TOLERANCES ARE X. ± .X ± 0.15 .XX ± 0.05 .XXX ± 0.02 ANG ±
CHECKED BY GENIUS		
UNIT / mm	SCALE 1 : 1	
DATE		
SIZE A4	PJECTION	





ORDER INFORMATION

MSAS-SWPCR-036-LF

SERIES	LEADFREE
	36 WAY
	REEL
	MYLAR
FEMALE	POST
	90°SMT

DESCRIPTION: MINI-SAS CONNECTOR, 36POS, RIGHT ANGLE RECEPTACLE, SMT TYPE, 0.8MM,




Label for Carton:


P/N :	
Description:	
Q'ty :	
Date :	
Note :	

Label for Reel

P/N :	
Q'ty :	
Date :	



NAME	L*W*H (mm)	Q'TY
T&R	ø330*ø100*32.5mm	8
PE BAG	400x500mm	1
EDGE BOARD	405x305mm	4
PAPER PAD	330x330mm	2
CARTON	350x350x325mm	1
TOTAL		3600



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES
煜倫股份有限公司
www.morethanall.com

DRAWING BY CY		X. ± .X ± 0.15 .XX ± 0.05 .XXX ± 0.02 ANG ±
CHECKED BY GENIUS		
UNIT / mm	SCALE 1 : 1	
DATE		
SIZE A4	P PROJECTION	

照片框

ORDER INFORMATION

MSAS-SWPCR-036-LF
SERIES | | | | | LEADFREE
| | | | | 36 WAY
| | | | | REEL
| | | | | MYLAR
FEMALE | POST
90°SMT

DESCRIPTION: MINI-SAS CONNECTOR, 36POS, RIGHT ANGLE RECEPTACLE, SMT TYPE, 0.8MM,