





- NOTES:
- MATERIAL:
 - HOUSING: THERMOPLASTIC, HIGH TEMP., UL94V-0; COLOR: BLACK.
 - CONTACT: COPPER ALLOY
 - FITTING NAIL: COPPER ALLOY
 - BOARD LOCK: COPPER ALLOY
 - FINISH:
 - CONTACT:
 - UNDERPLATING: 50u" MIN. NICKEL OVERALL.
 - FINISH: GOLD 3u" MIN. ON CONTACT, GOLD FLASH ON SOLDER TAIL
 - FITTING NAIL:
 - UNDERPLATING: 50u" MIN. NICKEL OVERALL.
 - FINISH: 100~200u" MATT TIN OVER ALL
 - BOARD LOCK:
 - UNDERPLATING: 50u" MIN. NICKEL OVERALL.
 - FINISH: MATT TIN OVER ALL
 - REFLOW SOLDER CAPABLE TO 260°C PER ACES SPEC.
 - ROHS COMPLIANT PRODUCT.
 - THE PCB WARPAGE : 0.05MAX.
 - THE PCB Coplanarity : 0.08MAX.(ex.86.54mm&CONN.LAYOUT AREA),



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X. ± 0.50

.X ± 0.25

.XX ± 0.15

.XXX ± 0.10

ANG ± 2°

PPOJECTION

照片框

ORDER INFORMATION

MXM054-W052EP2-165149-LF

SERIES

EAR+POST


HIGH 5.2mm

90°SMT


314 WAY

LEADFREE


DESCRIPTION: PCIE Gen4 MXM-3 314 PINS 0.5mm PITCH EDGE CARD CONN.
SMT D/R R/A STD TYPE H=5.2mm (BTB H=2.7)




PCB 30° MAX In conn. Scale 4:1




WIPE BOUND



PCB on 90° Scale 4:1



HIGH ELECTRICITY PER PIN LAYOUT



FOR FITTING NAIL
RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE ± 0.05

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X. ± 0.50
X. ± 0.25
.XX ± 0.15
.XXX ± 0.10
ANG $\pm 2^\circ$

照片框

ORDER INFORMATION

MXM054-W052EP2-165149-LF

SERIES

314 WAY


LEADFREE

EAR+POST

HIGH 5.2mm

90° SMT

DESCRIPTION: PCIE Gen4 MXM-3 314 PINS 0.5mm PITCH EDGE CARD CONN.
SMT D/R R/A STD TYPE H=5.2mm (BTB H=2.7)



DESCRIPTION: PCIE Gen4 MXM-3 314 PINS 0.5mm PITCH EDGE CARD CONN.
SMT D/R R/A STD TYPE H=5.2mm (BTB H=2.7)