





ISOMETRIC VIEW



2P TYPICAL LAYOUT
(TYPE-1)




4P TYPICAL LAYOUT
(TYPE-1)



SECTION A-A'

DIMENSIONS:

CIRCUITS	DIM. A	DIM. B	DIM. C
2	5.00	12.2	-
3	10.00	17.2	-
4	15.00	22.2	10.0
5	20.00	27.2	15.0
6	25.00	32.2	20.0
7	30.00	37.2	25.0
8	35.00	42.2	30.0
9	40.00	47.2	35.0
10	45.00	52.2	40.0
11	50.00	57.2	45.0
12	55.00	62.2	50.0




TYPE-1 P.C. BOARD LAYOUT
(2P)


NOTES:

- MATERIAL:
BASE: GLASS-FILLED NYLON 66 94V-0
PIN: BRASS, MATTE TIN-PLATED

R TYPE P.C BOARD LAYOUT (COMPONENT SIDE)





L TYPE P.C BOARD LAYOUT (COMPONENT SIDE)



P.C.B. Layout

P.C.B. Layout



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ± 0.25
.XX ± 0.12
.XXX ± 0.08
ANG ±

PPOJECTION

照片框

ORDER INFORMATION


RST50-PDPx4-xy-LF

SERIES
MALE
DIP 180°
POST
R:R Type 4:4.20
L:L Type
LEADFREE
02A:02WAY A KEY LOCK
121:12WAY 1 KEY LOCK


DESCRIPTION:

TABLE-1 CONFIGURATION (LAYOUT FOR ACCESS VIEW OF THE HEADER)

2 CIRCUITS		3 CIRCUITS		4 CIRCUITS	
	02 A		03 A		04 8
	02 1		03 1		04 9
	02 2		03 2		04 B
	02 3		03 3		
	02 4		03 4		
	02 5				
	02 6				
	02 7				



ISOMETRIC VIEW



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.25
.XX ± 0.12
.XXX ± 0.08
ANG ±

照片框

ORDER INFORMATION

RST50-PDPx4-xy-LF

SERIES
MALE
DIP 180°
POST
R:R Type 4:4.20
L:L Type
LEADFREE
02A:02WAY A KEY LOCK
121:12WAY 1 KEY LOCK

DESCRIPTION:

5 CIRCUITS

05 A

05 1

05 2

N/A

6 CIRCUITS Δ B

06 A

06 1

06 2

06 3

Δ B1

7 CIRCUITS Δ B

07 A

07 1

8 CIRCUITS Δ B

08 A

9 CIRCUITS Δ B

09 A

10 CIRCUITS Δ B

10 A

11 CIRCUITS Δ B


11 A

12 CIRCUITS Δ B

12 A

12 1

METRIC VIEW



ISOMETRIC VIEW

TOLERANCES ARE

煜倫股份有限公司

SIZE A4	PPROJECT
---------	----------

PROJECTION 

照片框

RST50-PDPx4-xy-LF

```

graph TD
    SERIES --> MALE
    SERIES --> LEADFREE
    MALE --> DIP_180[DIP 180°]
    MALE --> POST
    DIP_180 --> RR_Type[R:R Type]
    DIP_180 --> LL_Type[L:L Type]
    RR_Type --> 4_4_20[4:4.20]
    RR_Type --> 02A_02WAY[02A:02WAY A KEY LOCK]
    LL_Type --> 121_12WAY[121:12WAY 1 KEY LOCK]
  
```

DESCRIPTION: