




NOTES:

1.MATERIAL:

- 1.1 HOUSING:LCP,UL94V-0,COLOR:BLACK.
- 1.2 CONTACT:PHOSPHOR BRONZE.
- 1.3 SOLDER PEG AND LATCH:STAINLESS STEEL.

2. FINISH:

- 2.1 CONTACT: 50u" MIN NICKEL UNDERPLATED ALL OVER.
GOLD FLASH PLATING ON SOLDER TAIL.
GOLD PLATING (THICKNESS SEE TABLE) ON CONTACT AREA.

2.2 SOLDER PEG:

- 50u" MIN NICKEL UNDERPLATED ALL OVER.
AU 2u" MAX ON SOLDER TAIL.

3. DATE CODE : YYWDLX


YY: YEAR (09: 2009)

WW: WEEK (25: THE 25TH WEEK)

D: DAY (1~7: SUNDAY~SATURDAY)


L: LINE NUMBER OF ASSEMBLY (A: LINE A)

X: D OR N (D: DAY; N: NIGHT)



SECTION:A-A

SCALE 2:1



MATING/UNMATING VIEW

SCALE 2:1

MATING: ① INSERTING(30°) — ② ROTATING — ③ FIXED

UNMATING: ④ UNFIXED — ⑤ ROTATING — ⑥ WITHDRAWING

RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ±
ANG ± 3°

照片框

ORDER INFORMATION

SDM5-W52V12R-144116-LF

SERIES

REEL






12V

HIGH 5.2mm

90°SMT

LEADFREE
144+116 WAY

DESCRIPTION: DDR4 SO DIMM 260P 5.2H STD C-DWG



MORETHANALL
 PCB CONNECTORS
 Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
 .X ± 0.30
 .XX ± 0.20
 .XXX ±
 ANG ± 3°

PPOJECTION

照片框

ORDER INFORMATION

SDM5-W52V12R-144116-LF

SERIES

REEL






12V

HIGH 5.2mm

90°SMT

LEADFREE
 144+116 WAY

DESCRIPTION: DDR4 SD DIMM 260P 5.2H STD C-DWG



RoHS Compliant

TOLERANCES ARE

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

PPOJECTION

X, ±
.X ± 0.30
.XX ± 0.20
.XXX ±
ANG ± 3°

照片框

ORDER INFORMATION

SDM5-W52V12R-144116-LF

SERIES

12V

REEL
HIGH 5.2mm
90°SMT

LEADFREE
144+116 WAY

DESCRIPTION: DDR4 SD DIMM 260P 5.2H STD C-DWG