


# 1. DIMENSION:

Unless otherwise specified all Dimensions in millimeters & inches. Values in brackets are inches equivalents.



UNLESS OTHERWISE SPECIFIF  
 FRACTIONS  $\pm 4/10$   
 REMOVE BURRS & SHARP EDGES .250 MAX  
 MACHINE FILLET RADIUS .250 R MAX  
 ALL DIAS. TO BE CONCENTRIC  
 WITHIN .125 T.I.R.  
 INTERPRETATION PER MIL STD  
 8 10 & 12

**MORETHANALL**  
 CONNECTORS  
 ASSEMBLIES

PART NO. SMASMT-AS-50

DWG NO. SMASMT-AS-50

CHECKED BY CY

TOLERANCES ARE

DESCRIP TION:

**SMA CONVERSION  
 ADAPTOR**

煜倫股份有限公司

FILE NO.

DRAWING BY

.X  $\pm 0.2$

.XX  $\pm 0.1$

.XXX  $\pm$

AWG

AREA

REVISIONS

HK

DATE

UNIT / mm

SCALE 1:1

PROJECTION



## *2. PART LIST*

<i>NO</i>	<i>DESCRIPTION</i>	<i>MATERIAL &amp; TREATMENT</i>	<i>REMARK</i>
<i>1</i>	<i>SMA BODY</i>	<i>BRASS WITH GOLD PLATING</i>	
<i>2</i>	<i>CENTER CONTACT</i>	<i>PHOSPHORUS BRONZE WITH GOLD PLATING</i>	
<i>3</i>	<i>GROUND CONTACT</i>	<i>PHOSPHORUS BRONZE WITH GOLD PLATING</i>	
<i>4</i>	<i>INSULATOR</i>	<i>TEFLON</i>	



PART NO. SMASMT-AS-50

DWG NO. SMASMT-AS-50

CHECKED BY CY

TOLERANCES ARE

DESCRIP TION:

FILE NO.

DRAWING BY

.X ± 0.2  
.XX ± 0.1  
.XXX ±  
AWG

煜倫股份有限公司

UNIT / mm

SCALE 1:1

PROJECTION

AREA

REVISIONS

HK

DATE