





1. SOLDERTAIL TO BE WITHIN 0.05 UPWARD AND 0.2 DOWNWARD FROM Z-DATUM PLACE, AND COPLANALITY OF SOLDERTAILS TO BE WITHIN 0.12. MEASUREMENT POINT IS SOLDERTAILS TIP.

● : MANUFACTURER INSPECTION
◆ : Q.C INSPECTION

SERIES	90°SMT	40:4.0mm	REEL	124WAY	LEADFREE
		52:5.2mm			
		56:5.6mm	80:8.0mm		
		60:6.0mm	92:9.2mm		
		68:6.8mm	99:9.9mm		

DESCRIPTION:



MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT / mm

SCALE 1 : 1

DATE

SIZE A4

TOLERANCES ARE

X, ±
.X ±
.XX ±
.XXX ±
ANG ±

PPOJECTION




ORDER INFORMATION

MPCI-WxxR-124-LF

SERIES	90°SMT	40:4.0mm 52:5.2mm 56:5.6mm 60:6.0mm 68:6.8mm	REEL	124WAY	LEADFREE

DESCRIPTION:



	MATERIAL	P/N	REMARKS
1	REEL	REEL-RA388	H=94.5max
2	COVER	REEL-UC825/A	W=82.5mm
3	CARRIER TAPE	REEL-OLAB8801	W=88mm
4	LABEL(for RoHS)	CTP-00004	1 LABEL/CARTON
5	LABEL(for RoHS)	CTB-00004	1 LABEL/REEL
6	LABEL(for RoHS)	CTB-00005	1 LABEL/REEL
7	POLY BAG	95cmX85cmX0.05m/m	1 BAG/CARTON
8	CARTON	CTN-C100Y	CARTON/3 REEL/450pcs
9	GUARD	CTN-N3025	4 GUARD/CARTON

MORETHANALL
PCB CONNECTORS
Cable ASSEMBLIES

煜倫股份有限公司

www.morethanall.com

RoHS Compliant

DRAWING BY CY

CHECKED BY GENIUS

UNIT/ mm

SCALE 1:1

DATE

SIZE A4

TOLERANCES ARE


X. ± 0.30

.X ± 0.20

.XX ± 0.10

.XXX ± 0.05

ANG ±



ORDER INFORMATION

MPCI-WxxR-124-LF

SERIES	90°SMT	REEL	124WAY	LEADFREE
		40:4.0mm		
		52:5.2mm		
		56:5.6mm	80:8.0mm	
		60:6.0mm	92:9.2mm	
		68:6.8mm	99:9.9mm	

DESCRIPTION: PACKING INFORMATION